

CIS 422/522 ©S. Faulk



Architecture Design Process

- Building architecture to address business goals:
- 1. Understand the goals for the system
- 2. Define the quality requirements
- 3. Design the architecture
 - 1. Views: which architectural structures should we use? (goals<->architectural structures<->representation)
 - 2. Documentation: how do we communicate design decisions?
 - 3. Design: how do we decompose the system?
- 4. Evaluate the architecture (is it a good design?)









Decomposition Strategies Differ

- · How do we develop this structure so that the leaf modules make independent work assignments?
- · Many ways to decompose hierarchically - Functional: each module is a function
 - Pipes and Filters: each module is a step in a chain of processing
 - Transactional: data transforming components
 - OOD: use case driven development
- · Different approaches result in different kinds of dependencies

CIS 422/522 ©S. Faulk

5

Use Case Driven OO Process

- Address book design: in-class exercise
- . Requirements
- •
- Problem Analysis Identify use cases from requirements Identify domain classes operationalizing use cases (apply heuristics)
- OO Design (refinement)

- Allocate responsibilities among classes
 CRC Cards (Class-Responsibility-Collaboration)
 Identify object interactions supporting use cases
 Sequence or Interaction Diagram for each scenario
 Identify supporting classes (& associations)
 Design Class Diagram, relations

•

- Detailed Design
- Design class interfaces (class attributes and services)







- Is this a good design?
 - Walk through the handout to understand how the design is derived
 - Understand how use-case-driven OO design works
 - Walk through the design's class diagram and UML class specifications to understand the structure and function of the design
 - Discuss the good and bad points of the design to arrive a team judgment
 - Justify your answer: what is good about it (or bad) and why? What is the role of the MVC pattern?

Lessons

· Without quality requirements there is no basis for choosing between designs - i.e., we have no measure for "good"

General OO Objectives

CIS 422/522 ©S. Faulk

10

11

12

- · Manage complexity
- · Improve maintainability
- Improve stakeholder communication
- · Improve productivity
- · Improve reuse
- Provide unified development model (requirements to code)

CIS 422/522 @S. Faulk

General OO Principles

- Principles provided to support goals Abstraction and Problem modeling Development in terms of problem domain Supports communication, productivity
- supports communication, productivity
 Generalization/Specialization (type of abstraction)
 Inheritance of shared attributes & Delayed Binding (polymorphism)
 Support for reuse, productivity
 Modularization and Information Hiding
 Supports maintainability, reuse

- Independence (abstract interfaces + IH)

- Classes designed as independent entities
 Supports readability, reuse, maintainability
 Common underlying model
 O model for analysis, design, and programming
 Supports unified development

Some Design Goals

- Be easy to make the following kinds of change Add additional fields to the entries: for example, fields for someone's email, mobile phone, and business phone
 - Ability to edit the name fields at any time while keeping the associated data
 As the number of entries gets larger, we will want to be able to search the address book
- Support subsets and extensions - Produce a simpler version of the address book with
- only names and phone #
- Allow user to keep multiple address books of different kinds (i.e., different fields)
- Allow the user-defined fields

CIS 422/522 ©S. Faulk

13

15

Modularization using Information Hiding CIS 422/522 @S. Faulk 14

Decomposition Strategies

- · How do we develop this structure so that the leaf modules make independent work assignments?
- · Observed strategies did not result in independent modules - Use-case driven OOD, heuristics
 - MVC Pattern
- · What should be done differently? - Why did these approaches fail?







CIS 422/522 ©S. Faulk

17





Decomposition Strategy

- Decompose recursively
 - If a module holds decisions that are likely to change independently, then decompose it into submodules
 - Decisions that are likely to change together are allocated to the same submodule
 - Decisions that change independently should be allocated to different submodules
 - Stopping criteria
 - Each module contains only things likely to change together Each module is simple enough to be understood fully, small enough that it makes sense to throw it away rather than re-do
- Define the Interfaces

 - Anything that other modules should not depend on become secrets of the module (e.g., implementation details) If the module has an interface, only things not likely to change can be part of the interface
 - CIS 422/522 ©S. Faulk

19

21



Applied Information Hiding

- The rule we just described is called the *information hiding principle* ٠
- Design principle of limiting dependencies between components by hiding information other components should not depend on
- An information hiding decomposition is one following the design principles that:
 - System details that are likely to change independently are encapsulated in different modules
 - The interface of a module reveals only those aspects considered unlikely to change



Three Key Design Principles

- · Most solid first
- Information hiding
- · Abstraction

CIS 422/522 ©S. Faulk

23

24

Principle: Most Solid First

- View design as a sequence of decisions Later decisions depend on earlier
 Early decisions harder to change
- · Most solid first: in a sequence of decisions, those that are least likely to change should be made first
- Goal: reduce rework by limiting the impact of changes
- Application: used to order a sequence of design
 - decisions
 - Generally applicable to design decisions
 - Module decomposition ease of change
 Developing families create most commonality

Information Hiding

- Information hiding: Design principle of limiting • dependencies between components by hiding information other components should not depend on
- An information hiding decomposition is one • following the design principles that (Parnas):
 - System details that are likely to change independently are encapsulated in different modules
 - The interface of a module reveals only those aspects considered unlikely to change

CIS 422/522 ©S. Faulk

25

26

27

Abstraction

- · General: disassociating from specific instances to represent what the instances have in common
 - Abstraction defines a *one-to-many relationship* E.g., one type, many possible implementations
- · Modular decomposition: Interface design principle of providing only essential information and suppressing unnecessary detail

CIS 422/522 ©S. Faulk

Abstraction

- Two primary uses •
- **Reduce Complexity**
- Goal: manage complexity by reducing the amount of information that must be considered at one time
- Approach: Separate information important to the problem at hand from that which is not Abstraction suppresses or hides "irrelevant detail" Examples: stacks, queues, abstract device
- Model the problem domain
- Goal: leverage domain knowledge to simplify understanding, creating, checking designs
- Approach: Provide components that make it easier to model a class of problems May be quite general (e.g., type real, type float) May be very problem specific (e.g., class automobile, book object)









Observations

- · Heuristics and patterns are guidelines
 - Do not guarantee qualities
 - Must understand how and why they work to apply effectively
- Principles are more direct achieve qualities by construction
- · Good design requires careful thinking
 - Which goals are we trying to achieve
 - How design decisions address those goals

CIS 422/522 ©S. Faulk

30

Questions?	
CIS 422/522 @S. Faulk 3	31